



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

California Department of Pesticide Regulation
1001 I Street
P.O. Box 4015
Sacramento, CA 95812

Issue Date: AUG 15 2017
Expiration Date: October 31, 2017
Report Due: April 30, 2018
File Symbol: 17CA06

Attn: Margaret Reiff


The U.S. Environmental Protection Agency hereby issues a specific exemption under the provisions of Section 18 of the Federal Insecticide, Fungicide and Rodenticide Act, as amended, to the California Department of Pesticide Regulation for the use of sulfoxaflor (CAS Reg. No. 946578-00-3) on cotton to control lygus bug (*Lygus spp.*) in California. This specific exemption is subject to the conditions set forth in your request dated July 28, 2017, as well as the following conditions, modifications and restrictions:

1. The California Department of Pesticide Regulation (CDPR) is responsible for ensuring that all provisions of this specific exemption are met. CDPR is also responsible for providing information in accordance with 40 CFR 166.32(b). Accordingly, a report summarizing the results of this program must be submitted to EPA Headquarters and the EPA Regional 9 Office within 6 months following the expiration of this exemption or prior to requesting a subsequent specific exemption for this use. In accordance with 40 CFR 166.32(a), these offices shall also be immediately informed of any adverse effects resulting from the use of this pesticide in connection with this exemption.
2. The registered product, Transform[®] WG Insecticide (EPA Reg. No. 62719-625, containing 50% sulfoxaflor), manufactured by Dow AgroSciences, may be applied. All applicable directions for use, restrictions, and precautions on the EPA-registered product label including Worker Protection Standards must be followed, as well as those outlined on the Section 18 use directions submitted with your request, unless otherwise modified in this authorization document.
3. Foliar applications may be made by ground or air at a rate of 1.5-2.25 oz. of product (0.047-0.071 lbs. a.i.) per acre. A maximum of 2 applications may be made per year, but no more than 4.5 oz. of product (0.142 lbs. a.i.) may be applied per acre per year.

4. To minimize spray drift and potential exposure of bees when foraging on plants adjacent to treated fields, applications are prohibited when wind speeds are above 10 miles per hour (mph).
5. Retreatments are prohibited within 5 days of application. A restricted entry interval (REI) of 24 hours applies to all applications.
6. Pre-harvest interval (PHI): Do not apply within 14 days of harvest.
7. A maximum of 270,000 acres of cotton fields may be treated in the California counties of: Colusa, Fresno, Glen, Imperial, Kern, Kings, Madera, Merced, Riverside, Sutter, Tehama, and Tulare.
8. **Environmental Hazards Statement:** “This product is highly toxic to bees exposed through contact during spraying and while spray droplets are still wet. This product may be toxic to bees exposed to treated foliage for up to 3 hours following application. Toxicity is reduced when spray droplets are dry. Risks to managed and native pollinators from contact with pesticide spray or residues can be minimized when applications are made before 6:00 am or after 7:00 pm local time or when the temperature is below 55 degrees Fahrenheit (°F) at the site of application.”
9. **Advisory Pollinator Statement:** “Notifying known beekeepers within 1 mile of the treatment area 48 hours before the product is applied will allow them to take additional steps to protect bees. If known apiaries are within one mile of cotton fields intended for treatment, applications should be made before 6:00 am or after 7:00 pm local time during the flowering period. Growers are advised to refer to and, where feasible, observe the cooperative standards outlined by the County Agricultural Commissioner (CAC) for additional guidance and bee conservation stewardship efforts.”
10. This specific exemption expires October 31, 2017.
11. Applications made in accordance with the above provisions are not expected to result in combined residues of sulfoxaflor, including its metabolites and degradates, in or on cotton commodities in excess of the following existing tolerances at 40 CFR at 180.668(a): cottonseed subgroup 20C at 0.20 ppm; cotton, gin byproducts at 6.0 ppm; cotton, hulls at 0.35 ppm. The Agency has determined that these levels are adequate to protect the public health.
12. This is fourth year emergency exemption requests have been made for the use of sulfoxaflor on cotton. However, this is the first year that an emergency exemption has been requested for the use of sulfoxaflor on cotton to control lygus bugs in California. Due to the potential for this emergency to continue into the 2018 growing season, EPA has made a preliminary determination that this use is eligible for a streamlined application next year under the re-certification program (40 CFR 166.20(b)(5)).

Any future correspondence regarding this exemption should refer to file symbol 17CA06.

If you have any questions regarding this authorization, please contact Emergency Response Team member Tamica Cain (703-347-8110; cain.tamica@epa.gov) or the Emergency Response Team Leader, Tawanda Maignan (703-308-8050; maignan.tawanda@epa.gov).



Michael L. Goodis, Director
Registration Division
Office of Pesticide Programs

Date: August 15, 2017

cc: Patti TenBrook, USEPA Region 9- Regional and Tribal Coordinator